Approved For Release 2009/02/10 : CIA-RDP78B03826A000100070060-1

Approved For Release 2009/02/10 : CIA-RDP78B03826A000100070060-1



5 MILES OF GROUND TRACK.

C. AN INDIVIDUAL PLOT OF EACH MISSION.

D. A LISTING OF THE PHOTOGRAPHIC COVERAGE BY

TARGET NAME AND THE MISSION, FRAME AND X - Y COORDINATES INDICATING

THE LOCATION OF THE TARGET IN THE FRAME.

E. A LISTING OF THE PHOTOGRAPHIC COVERAGE BY MISSION NUMBER AND

TARGET NAME.

F. A LISTING OF THE PHOTOGRAPHIC COVERAGE BY TARGET NUMBER

PAGE 4 8297 S E C R E T	25 X 1
AND THE MISSIONS THAT INCLUDE THE TARGET.	
6. CERTAIN PARAMETERS HAVE BEEN ESTABLISHED FOR THE ACQUIS-	
ITION OF CTF TARGETS IN THIS PROGRAM:	
A. TARGET AREA MUST BE 75 PERCENT CLOUD FREE.	
B. TARGET AREA MAY HAVE LIGHT SNOW COVER WHERE WINTER	
COVERAGE IS SPECIFIED.	
C. CORN MOBILE TARGETS ARE DESIRED WHEN AVAILABLE.	
MISSIONS SHOULD NOT BE ABORTED IF CORN TARGETS ARE NOT AVAILABLE.	
OVERFLYING FIXED RESOLUTION TARGETS WOULD BE HELPFUL IN THE ABSENCE	
OF CORN TARETS.	
D. SOLAR ELEVATIONS ABOVE 25 DEGREES WILL BE REQUIRED	
UNLESS SPECIAL LOW SOLAR ELEVATIONS ARE REQUESTED ON SPECIFIC	
TARGETS BY SEPARATE CABLE. A 15 DEGREE ELEVATION WILL BE	
PERMISSIBLE FOR WINTER COVERAGE IN THE NORTHERN LATITUDES.	
E. WHERE PRACTICAL, GROUND TRACK AZIMUTH OF THE VEHICLE	
SHOULD BE BETWEEN 170 AND 250 DEGREES WITH THE OPTIMUM HEADING	
BEING 210 DEGREES. RECIPROCAL HEADINGS WOULD BE THE SECOND	
CHOICE RATHER THAN EAST-WEST HEADING.	
F. VETRICAL COVERAGE NOT MANDATORY. TARGETS MUST BE WITHIN	

PAGE 5 8297 S E C R E T	25 X 1			
G. REPETITIVE COVERAGE, EXCEPT TO SATISFY SEASONAL REQUIRE-				
MENTS NOT REQUIRED UNLESS SPECIFICALLY REQUESTED BY SEPARATE CABLE.				
7. FOR	25X1			
A. PROVIDE - DETAILED SORTIE REPORT;	∠ 9∧!			
PROCESSING ADVISORY: AND, - CONFIGURATION REPORT TO	25 X 1			
INTERESTED AGENCIES.				
B. IF A MISSION COVERS FIVE OR FEWER TARGETS OR CONSUMES				
LESS THAN 2000 FEET OF FWD OR AFT FILM, THE MATERIAL MAY BE				
HELD UNTIL SUFFICIENT QUANTITY HAS BEEN ACCUMULATED BEFORE				
SHIPPING TO	25 X 1			
C. STEREO COVERAGE REQUIRED OF ALL TARGETS. IF ONE CAMERA				
MALFUNCTIONS IT CAN BE ASSUMED THAT TARGETS ARE NOT COVERED. IF	05)//			
SUCH A MALFUNCTION IS DETECTED TARGETS COULD BE	25 X 1			
RESCHEDULED.				
8.	25 X 1			
A. FILM REPRODUCTION REQUIREMENTS IN SUPPORT OF CTF/RED				
DOT MISSIONS.				
CUSTOMER COPIES REQUIREMENT				
A 1 CONTACT INTERNEG - 7271				
2 SO-360 DP FROM SO-242				

3

	1	QC STRIP PROCESSED WITH SO-242	
	•	AND 7271	
5	2	2430 DP FROM 3404 B/W ORIGINAL	
В	2	SO-360 DP FROM SO-242	
	2	2430 DP FROM 3404 DP	
G,H,Y,L	1	SO-360 DP FROM SO-242	
_	I man	2430 DP FROM 3404	
В.		RCENT CLOUD COVERED FRAMES SHOULD BE EDITED.	
	OGMENT ACCEPT		25X1
	CLASSIFICAT	TION IS SECRET,	∠3∧ I
D.		GRID FRISKITS (DELTA III) WILL BE INCLUDED AS	
		ON ALL PARTS.	
E.		242 UNTIL IN-HOUSE REQUIREMENTS ARE SATISIFIED.	
F_		IGHT DATA SHEETS AND FLIGHT GOUND TRACKS TO	057/4
	WITH FIRST S		25 X 1
G.		ORT ON TARGET COVERAGE.	
		RN TARGET SUPPORT AND RECOMMEND EXPOSURE SETTINGS.	051/4
I.	PROVIDE	- FILM EVLAUATION REPORT, AND	25X1
	- FIRM F	PICK UP TIME TO INTERESTED AGENCIES.	25 X 1
			05)/4
PAGE 2	8297	SECRET	25 X 1
9.	WILL	INDEX SUBSEQUENT MISSIONS UPON RECEIPT AND	
ADVISE	INTERESTED AG	GENCIES BY TWX OF TARGETS CONSIDERED ADEQUATELY	
COVERED			
10.	FILGHT PLAN	NING AND SCHEDULING TO COMMENCE AT THE DISCRETION	
OF	ON RECEIPT (OF THIS TWX AND THE TARGET LIST. THE TARGET LIST	25 X 1
IS BEING	d DISSEMINATE	ED TO ACTION ADDRESSES UNDER SEPARATE COVER. GP-1	
SECR		EOM GP1	